

CALORPLAST Gas / Liquid Polymer Heat Exchanger


- where outstanding corrosion resistance matters
- where sustainability matters
- where energy efficiency matters



www.calorplastusa.com


CALORPLAST
USA

APPLICATIONS



Gas cooling/heating/ condensing

- Cooling, heating or drying of corrosive gas flows
- Condensing and recovery of corrosive or toxic gas components
- Energy recovery with heat pumps
- Air cooling/heating of corrosive liquids with waste gas/air




Energy Recovery

- Energy recovery in industrial HVAC systems
- Ventilation and heating of factory workshops
- Central laboratory ventilation
- Agricultural ventilation (Livestock)

Technical Data

- Materials: PE-RT, PP or PVDF (Housing in PPs or PE)
- Operating temperatures: -22 to +284 °F -30 to +140 °C (dependent on the material chosen)
- Operating pressure: 45 to 230 psi (dependent on material chosen and operating temperature)
- Pressure drop: 0.75 psi (approximately)

BENEFITS




- Fully corrosion resistant & sanitary
- High efficiency
- Quick return on investment
- 10-20 years lifetime
- More than 30 years of experience





CALORPLAST USA, LLC

- 1287 US Highway 50 Milford OH 45150
- P 513.576.6333 F 513.576.8733
- Email sales@calorplastusa.com



www.calorplastusa.com

CALORPLAST
USA